media release

Colorado Department of Agriculture www.colorado.gov/ag www.facebook.com/coloradoag

FOR IMMEDIATE RELEASE

July 24, 2014

Contacts:

Veterinarians and Livestock Owners: State Veterinarian's Office, (303) 869-9130

Media: Christi Lightcap, (303) 869-9005, Christi.Lightcap@state.co.us

Vesicular Stomatitis (VS) Update: Seven Colorado Quarantines

Guidelines for Livestock Shows, Fairs, Exhibitions, and Events

BROOMFIELD, Colo. – The Colorado Department of Agriculture's State Veterinarian's Office has placed seven locations under quarantine after horses tested positive for Vesicular Stomatitis (VS). The quarantines are located in Weld and Boulder counties; results on additional tests in other counties are pending.

Colorado is the second state in the country to have confirmed cases of VS. Previous positive cases of vesicular stomatitis in 2014 have been diagnosed in the southern area of Texas near the Mexico border and more recently in Bastrop and Travis Counties just south of Austin, TX.

"Vesicular stomatitis can be painful for animals and costly to their owners," said State Veterinarian, Dr. Keith Roehr. "The virus typically causes oral blisters and sores that can be painful causing difficulty in eating and drinking."

Veterinarians and livestock owners who suspect an animal may have VS or any other vesicular disease should immediately contact State or federal animal health authorities. Livestock with clinical signs of VS are isolated until they are healed and determined to be of no further threat for disease spread. There are no USDA approved vaccines for VS.

While rare, human cases of VS can occur, usually among those who handle infected animals. VS in humans can cause flu-like symptoms and only rarely includes lesions or blisters.

Vesicular Stomatitis (VS) Signs and Transmission:

VS susceptible species include horses, mules, cattle, bison, sheep, goats, pigs, and camelids. The clinical signs of the disease include vesicles, erosions and sloughing of the skin on the muzzle, tongue, teats and above the hooves of susceptible livestock. Vesicles are usually only seen early in the course of the disease. The transmission of vesicular stomatitis is not completely understood but components include insect vectors, mechanical transmission, and livestock movement.

Tips for Livestock Owners:

- Strict fly control is an important factor to inhibit the transmission of the disease.
- Avoid transferring feeding equipment, cleaning tools or health care equipment from other herds.
- Colorado veterinarians and livestock owners should contact the state of destination when
 moving livestock interstate to ensure that all import requirements are met. A list of
 contact information for all state veterinarians' offices is available at
 www.colorado.gov/ag/animals and click on "Import Requirements."
- Colorado fairs, livestock exhibitions, and rodeos may institute new entry requirements based on the extent and severity of the current VS outbreak. Certificates of Veterinary Inspection issued within 2-5 days prior to an event can beneficial to reduce risks. Be sure to stay informed of any new livestock event requirements.
- During an event, important VS disease prevention procedures include minimizing the sharing of water and feed/equipment, applying insect repellent daily (especially to the animals ears), and closely observing animals for signs of VS.
- If moving livestock internationally please contact the USDA APHIS VS Colorado office at 303-231-5385 to determine if there are any movement restrictions or testing requirements for VSV.

Important Points for Veterinarians:

- Any vesicular disease of livestock is reportable to the State Veterinarian's Office in Colorado to report call 303-869-9130. If after-hours, call the same number to obtain the phone number of the staff veterinarian on call.
- Since VS is considered a foreign animal disease, any case with clinical signs consistent
 with VS will warrant an investigation by a state or federal foreign animal disease
 diagnostician (FADD).
- When VS is suspected, the FADD will gather the epidemiological information, take the
 necessary blood samples, collect the necessary fluid or tissue from the lesions, and
 inform the owners and the referring veterinarian as to necessary bio-security and
 movement restrictions

For additional information, contact the Colorado State Veterinarian's Office at 303-869-9130 or to view the current location of cases and other important updates and information you can visit: http://www.aphis.usda.gov/wps/portal/aphis/ourfocus/animalhealth?1dmy&urile=wcm%3apath%3a%2Faphis content library%2Fsa our focus%2Fsa animal health%2Fsa animal disease i nformation%2Fsa_equine_health%2Fsa_vesicular_stomatitis%2Fct_vesicular_stomatitis.

###